Author Index

Agrawal, D. C., 125
Ahearn, J. S., 225
Argon, A. S., 105
Armstrong, J. H., 119
Arocho, A. M., 295
Asaro, R. J., 65
Autran, J.-P., 253

Bailey, W. J., 271
Bar-Cohen, Y., 155
Becher, P. F., 165
Bhadra, R., 19
Blum, F. D., 265
Boerio, F. J., 245
Boström, A., 141
Brennan, J. J., 203

Cahn, J. W., 173
Cammarata, R. C., 25
Charalambides, P. G., 53
Chen, G., 191
Christodoulou, L., 33
Cornie, J. A., 105
Crampin, S., 33

Dalgleish, B. J., 53
Datta, S. K., 141
Donnellan, M. E., 305
Drzal, L. T., 289
Dutcher, J. R., 13

Eberhart, M. E., 33
Edelstein, A. S., 25
England, C. D., 13
Evans, A. G., 53

Falco, C. M., 13
Fullerton, E., 19

Gause, L. W., 295
Grimsditch, M., 19
Gupta, V., 105

Hammond, P. T., 281
Handwerker, C. A., 173
Hihara, L. H., 231
Hong, P. P., 245
Huang, J., 149
Hues, S. M., 19

Ishida, H., 235

James, M. R., 305

Kang, H.-J., 265
Karim, M. R., 155
Karunasena, W., 141
Ketterson, J. B., 149
Kim, C., 25
Koenig, J. L., 235

Latanision, R. M., 231
Lee, S., 13
Lipetzky, P., 165
Lubitz, P., 25

MacLaren, J. M., 33
Mal, A. K., 155
Manning, J. R., 173
Marshall, D. B., 95
Mathias, L. J., 253
Meesiri, W., 265
Mintmire, J. W., 29
Misra, M. S., 119
Moreau, A., 149
Morris, W. L., 305

Nallicheri, R. A., 281
Nathan, M., 225
Nutt, S. R., 165

O'Dowd, N. P., 65
Oliver, W. C., 95
Olsson, P., 141

Pantano, C. G., 191
Parks, D. M., 105
Porter, R. S., 253
Powell, D. G., 253

Qadri, S. B., 25
Qi, D., 191

Raj, R., 125
Rawal, S. P., 119
Rubner, M. F., 281
Rühle, M., 53

Sachse, W., 133
Sass, S. L., 41
Schlesinger, T. E., 25
Schuller, I. K., 19
Sellitti, C., 235
Shah, A. H., 141
Shieu, F.-S., 41
Shih, C. F., 65
Stegeman, G. I., 13

Tsai, H. C., 295

Varias, A. G., 65
Vvedensky, D. D., 33

Williams, J. G., 305
Wolf, D., 1

© Elsevier Sequoia/Printed in The Netherlands

Subject Index

Acoustic emission
measurement of residual stresses in graphite–Al and graphite–Mg composites by acoustic emission techniques, 119
Adhesives
matrices that expand on curing for high strength composites and adhesives, 271
Alumina
creep deformation of alumina–SiC composites, 165
Aluminium
creep deformation of alumina–SiC composites, 165
interface electronic structure of XD™ titanium aluminide composites, 33
measurement of residual stresses in graphite–Al and graphite–Mg composites by acoustic emission techniques, 119
residual microstructural chloride in graphite–aluminum metal matrix composites, 231
Aminopropylsilane
nuclear magnetic resonance studies of the hydrolysis and molecular motion of aminopropylsilane, 265

Carbon
creep deformation of alumina–SiC composites, 165
interface reactions and wetting in carbon-fiber-reinforced glass matrix composites, 191
interfacial reactions in Ti/SiC layered films with and without thin diffusion barriers, 225
surface characterization of carbon fibers and interphase phenomena in epoxy-reinforced composites, 235
Ceramics
indentation method for measuring residual stresses in fiber-reinforced ceramics, 95
interfacial studies of chemical-vapor-infiltrated ceramic matrix composites, 203
Chemical vapour infiltration
interfacial studies of chemical-vapor-infiltrated ceramic matrix composites, 203
Chlorine
residual microstructural chloride in graphite–aluminum metal matrix composites, 231
Cobalt
elastic properties of Cu–Co multilayers, 13
structural and elastic property changes in Ag/Co superlattices induced by high energy ion irradiation, 19
Copolymers
examination of the strain-induced orientation of hard segment domains in 4,4′-methylenebis(phenyl isocyanate)-based polyurethane–diacetylene segmented copolymers, 281
Copper
elastic properties of Cu–Co multilayers, 13
ion-beam-sputtered Cu/Ni and Fe/Ni multilayers, 25
model studies of composition-modulated Cu–Ni superlattices, 29
ultimate shear strengths of copper–silica and nickel–silica interfaces, 125
Creep
creep deformation of alumina–SiC composites, 165
Curing
matrices that expand on curing for high strength composites and adhesives, 271

Deformation
creep deformation of alumina–SiC composites, 165
Diacetylene
examination of the strain-induced orientation of hard segment domains in 4,4′-methylenebis(phenyl isocyanate)-based polyurethane–diacetylene segmented copolymers, 281
Dicyandiamide
non-destructive characterization of epoxy–dicyandiamide interphases using surface-enhanced Raman scattering, 245
Diffusion
interfacial reactions in Ti/SiC layered films with and without thin diffusion barriers, 225
Dislocations
dislocation structure and energy of NiO–Pt interfaces, 41

Elastic properties
determination of the properties of composite interfaces by an ultrasonic method, 155
elastic properties of Cu–Co multilayers, 13
structural and elastic property changes in Ag/Co superlattices induced by high energy ion irradiation, 19
Electronic structure
interface electronic structure of XD™ titanium aluminide composites, 33
Epoxy
non-destructive characterization of epoxy–dicyandiamide interphases using surface-enhanced Raman scattering, 245
surface characterization of carbon fibers and interphase phenomena in epoxy-reinforced composites, 235

Failure
failure of bimaterial interfaces, 65
Fibres
effect of polymeric matrix mechanical properties on the fiber–matrix interfacial shear strength, 289
indentation method for measuring residual stresses in fiber-reinforced ceramics, 95
interface reactions and wetting in carbon-fiber-reinforced glass matrix composites, 191
measurement of the interfacial strength of fibers and thin films, 133
prediction of fiber–matrix interphase properties and their influence on interface stress, displacement and fracture toughness of composite material, 295

© Elsevier Sequoia/Printed in The Netherlands

surface characterization of carbon fibers and interphase phenomena in epoxy-reinforced composites, 235
Fracture
fracture energy of bimaterial interfaces, 53
prediction of fiber–matrix interphase properties and their influence on interface stress, displacement and fracture toughness of composite material, 295
Fracture energy
fracture energy of bimaterial interfaces, 53
Fracture toughness
prediction of fiber–matrix interphase properties and their influence on interface stress, displacement and fracture toughness of composite material, 295

Glasses
interface reactions and wetting in carbon-fiber-reinforced glass matrix composites, 191
Grain boundaries
supermodulus effect in metallic superlattices of grain boundaries, 1
Graphite
measurement of residual stresses in graphite–Al and graphite–Mg composites by acoustic emission techniques, 119
residual microstructural chloride in graphite–aluminum metal matrix composites, 231

Hard segment orientation
examination of the strain-induced orientation of hard segment domains in 4,4′-methylenebis(phenyl isocyanate)-based polyurethane–diacetylene segmented copolymers, 281
Hydrolysis
nuclear magnetic resonance studies of the hydrolysis and molecular motion of aminopropylsilane, 265

Interface strength
effect of polymeric matrix mechanical properties on the fiber–matrix interfacial shear strength, 289
measurement of interface strength by laser-pulse-induced spallation, 105
measurement of the interfacial strength of fibers and thin films, 133
Interphase phenomena
surface characterization of carbon fibers and interphase phenomena in epoxy-reinforced composites, 235
Interphases
non-destructive characterization of epoxy–dicyandiamide interphases using surface-enhanced Raman scattering, 245
prediction of fiber–matrix interphase properties and their influence on interface stress, displacement and fracture toughness of composite material, 295
properties of the interphase in organic matrix composites, 305
Ion beam sputtering
ion-beam-sputtered Cu/Ni and Fe/Ni multilayers, 25
Ion irradiation
structural and elastic property changes in Ag/Co superlattices induced by high energy ion irradiation, 19
Iron
ion-beam-sputtered Cu/Ni and Fe/Ni multilayers, 25

Kinetics
thermodynamics and kinetics of reactions at interfaces in composites, 173

Magnesium
measurement of residual stresses in graphite–Al and graphite–Mg composites by acoustic emission techniques, 119
Mechanical properties
effect of polymeric matrix mechanical properties on the fiber–matrix interfacial shear strength, 289
Methylenebis(phenyl isocyanate)
examination of the strain-induced orientation of hard segment domains in 4,4′-methylenebis(phenyl isocyanate)-based polyurethane–diacetylene segmented copolymers, 281
Molecular motion
nuclear magnetic resonance studies of the hydrolysis and molecular motion of aminopropylsilane, 265

Nickel
dislocation structure and energy of NiO–Pt interfaces, 41
ion-beam-sputtered Cu/Ni and Fe/Ni multilayers, 25
model studies of composition-modulated Cu–Ni superlattices, 29
ultimate shear strengths of copper–silica and nickel–silica interfaces, 125
Nitrogen
solid state ^{15}N nuclear magnetic resonance of ^{15}N-labeled nylon 6 and nylon 11: observation of multiple crystalline forms and amorphous regions, 253
Non-destructive characterization
non-destructive characterization of epoxy–dicyandiamide interphases using surface-enhanced Raman scattering, 245
Nuclear magnetic resonance
nuclear magnetic resonance studies of the hydrolysis and molecular motion of aminopropylsilane, 265
solid state ^{15}N nuclear magnetic resonance of ^{15}N-labeled nylon 6 and nylon 11: observation of multiple crystalline forms and amorphous regions, 253
Nylon
solid state ^{15}N nuclear magnetic resonance of ^{15}N-labeled nylon 6 and nylon 11: observation of multiple crystalline forms and amorphous regions, 253

Oxygen
creep deformation of alumina–SiC composites, 165
dislocation structure and energy of NiO–Pt interfaces, 41
ultimate shear strengths of copper–silica and nickel–silica interfaces, 125

Platinum
dislocation structure and energy of NiO–Pt interfaces, 41
Polyurethane
examination of the strain-induced orientation of hard segment domains in 4,4′-methylenebis(phenyl isocyanate)-based polyurethane–diacetylene segmented copolymers, 281

Raman scattering
non-destructive characterization of epoxy–dicyandiamide interphases using surface-enhanced Raman scattering, 245

Reinforcement
indentation method for measuring residual stresses in fiber-reinforced ceramics, 95
interface reactions and wetting in carbon-fiber-reinforced glass matrix composites, 191
surface characterization of carbon fibers and interphase phenomena in epoxy-reinforced composites, 235
Residual stress
indentation method for measuring residual stresses in fiber-reinforced ceramics, 95
measurement of residual stresses in graphite–Al and graphite–Mg composites by acoustic emission techniques, 119

Silica
ultimate shear strengths of copper–silica and nickel–silica interfaces, 125
Silicon
creep deformation of alumina–SiC composites, 165
interfacial reactions in Ti/SiC layered films with and without thin diffusion barriers, 225
ultimate shear strengths of copper–silica and nickel–silica interfaces, 125
Silver
structural and elastic property changes in Ag/Co superlattices induced by high energy ion irradiation, 19
Spallation
measurement of interface strength by laser-pulse-induced spallation, 105
Strain
examination of the strain-induced orientation of hard segment domains in 4,4′-methylenebis(phenyl isocyanate)-based polyurethane–diacetylene segmented copolymers, 281
Stress
indentation method for measuring residual stresses in fiber-reinforced ceramics, 95
measurement of residual stresses in graphite–Al and graphite–Mg composites by acoustic emission techniques, 119
prediction of fiber–matrix interphase properties and their influence on interface stress, displacement and fracture toughness of composite material, 295
Structural properties
structural and elastic property changes in Ag/Co superlattices induced by high energy ion irradiation, 19
Superlattices
model studies of composition-modulated Cu–Ni superlattices, 29
structural and elastic property changes in Ag/Co superlattices induced by high energy ion irradiation, 19
supermodulus effect in metallic superlattices of grain boundaries, 1
Supermodulus effect
supermodulus effect in metallic superlattices of grain boundaries, 1
Surface characterization
surface characterization of carbon fibers and interphase phenomena in epoxy-reinforced composites, 235

Thermodynamics
thermodynamics and kinetics of reactions at interfaces in composites, 173
Thin films
measurement of the interfacial strength of fibers and thin films, 133
three methods for measuring the ultrasonic velocity in thin films, 149
Titanium
interface electronic structure of XD™ titanium aluminide composites, 33
interfacial reactions in Ti/SiC layered films with and without thin diffusion barriers, 225

Ultimate shear strength
ultimate shear strengths of copper–silica and nickel–silica interfaces, 125
Ultrasonic velocity
three methods for measuring the ultrasonic velocity in thin films, 149

Wave propagation
wave propagation in the presence of interface layers in composites, 141
Wetting
interface reactions and wetting in carbon-fiber-reinforced glass matrix composites, 191